

Revolution Products KINGSTON LIBRARY FURNITURE

2024 PRICE LIST

EFFECTIVE JUNE 1ST 2023, PLEASE ADD 17% TO ALL LIST PRICES IN THIS CATALOG.









Revolution Products 259 Whip O Will Drive Clinton, SC 29325 864-201-1357

Kingston

Welcome to <u>KINGSTON</u> from Revolution Products Effective July 1st 2021, please add 7% to all list prices in this catalog.

	Index	
I.	Terms and Conditions	Pg. 2
II.	Kingston Reading Tables	Pgs. 3-4
III.	Kingston IT Tables with monitor racks	Pg.5
IV.	Kingston Single Face Study Carrels	Pg. 6
V.	Kingston Double Face Study Carrels	Pg.7
VI.	Kingston Hexagonal Carrels	Pg. 8
VII.	Kingston Display Units	Pg. 9
VIII.	Kingston End Panels	Pgs. 10-14

Bevolution Products

Terms of Sale: All prices are FOB Clinton, SC. Net 30 days from date of shipment. All prices are list and subject to change without notice. Interest of 2% per month will be assessed on past due invoices. Possession of price list does not constitute authority to purchase or sell products herein.

Taxes: All applicable taxes are extra. If a client is tax exempt please provide tax certificate.

Ordering: Orders must have all pertinent information provided before they will be processed and entered including model numbers, quantities and finish, laminate and fabric selections where appropriate. Please provide a requested by date, or not to ship before date on your order.

Warranty: All items are warranted for 10 years unless otherwise stated. Warranty is for initial purchaser and only valid as long as the product is owned by original customer. The warranty, which begins at date of manufacture, covers defects in materials and workmanship found during the normal usage of product during the warranty period. Revolution Products will at it's option repair or replace the defective product with a comparable component or product. Warranty does not cover any "Customers Own Material" used in manufacture. Except as stated above, Revolution Products makes no express or implied warranties as to any product and in particular makes no warranty of fitness for any particular use. At Revolution Products option, product repair, or replacement is the customer's exclusive remedy for any and all product defects.

BIFMA and ANSI Testing: All products offered by Revolution Products meet or exceed applicable BIFMA and ANSI testing standards.

New Accounts: New Accounts can only be established with the approval of a Revolution Products representative. New accounts will be subject to special credit reference requirements and deposit terms before they are approved.



READING TABLES

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-3648-O	Table 36" deep x 48" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3574.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-3060-O	Table 30" deep x 60" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3613.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-3660-O	Table 36" deep x 60" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3847.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-3672-0	Table 36" deep x 72" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3999.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-3696-O	Table 36" deep x 96" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4261.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4272-0	Table 42" deep x 72" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4524.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4284-0	Table 42" deep x 84" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4598.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4296-O	Table 42" deep x 96" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4871.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4872-0	Table 48" deep x 72" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4674.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	1



READING TABLES

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-4884-0	Table 48" deep x 84" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	4797.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4896-O	Table 48" deep x 96" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	5080.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4242-0	Table 42" deep x 42" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3263.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-4848-0	Table 48" deep x 48" wide, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3623.00
	all sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-42R-0	Table 42" round, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3285.00
	sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
K-48R-0	Table 48" round, HPL top with 1 1/4" thick x 1-1/2" wide fluted edge banding on	3635.00
	sides, fluted 2 1/2" square solid oak legs with top and bottom block accents and	
	and 2" high x 1" thick apron	
SUFFIX -M	For maple tables change suffix O to M and add 7 percent	



IT TABLES WITH MONITOR RACKS

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-3636- O-IT	IT table 36" deep x 36" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	4175.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
K-3648- O-IT	IT table 36" deep x 48" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	4369.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
K-3660- O-IT	IT table 36" deep x 60" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	4563.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
K-3672-O- IT2	IT table 36" deep x 72" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	4756.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
K-3696-O- IT2	IT table 36" deep x 96" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	5912.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
K-3696-O- IT3	IT table 36" deep x 96" wide, HPL top 1 1/4" thick with 1 1/4" thick x 1 1/2" wide fluted	5952.00
	edge banding on sides, fluted 2 1/2" square solid oak legs with top and bottom block	
	accents, 2" high x 1" thick apron, 10" high monitor rack across the back extending	
	forward 10" on each end	
SUFFIX -M	For maple IT tables change suffix O to M and add 5 percent	





SINGLE FACE CARREL STATIONS

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-3136-O-C	Carrel work station starter 31" deep x 38" wide x 48" high, 1 1/4" thick end panels	5135.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	
	deep cord drop	
K-3136-O- C-A	Carrel work station adder 31" deep x 36 1/2" wide x 48" high, 1 1/4" thick end panels	3753.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	
	deep cord drop	
K-3150-O-C	Carrel work station starter 31" deep x 50" wide x 48" high, 1 1/4" thick end panels	5573.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	
	deep cord drop	
K-3148-O- C-A	Carrel work station adder 31" deep x 48 1/2" wide x 48" high, 1 1/4" thick end panels	4116.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	1
	deep cord drop	-
K-3174-O-C	Carrel work station starter 31" deep x 74" wide x 48" high, 1 1/4" thick end panels	7264.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	
	deep cord drop	
K-3172-O- C-A	Carrel work station adder 31" deep x 72 1/2" wide x 48" high, 1 1/4" thick end panels	5881.00
	with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak top accent	
	cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding and 2"	
	deep cord drop	



DOUBLE FACE CARREL STATIONS

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-3136-O- CDF	Carrel work station, double faced, starter 61" deep x 38" wide x 48" high, 1 1/4" thick	7452.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
K-3136-O- CDF-A	Carrel work station, double faced, adder 61" deep x 36 1/2" wide x 48" high, 1 1/4" thick	5022.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
K-3148-O- CDF	Carrel work station, double faced, starter 61" deep x 50" wide x 48" high, 1 1/4" thick	8340.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
K-3148-O- CDF-A	Carrel work station, double faced, adder 61" deep x 48 1/2" wide x 48" high, 1 1/4" thick	5674.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
K-3172-O- CDF	Carrel work station, double faced, starter 61" deep x 74" wide x 48" high, 1 1/4" thick	10939.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
K-3172-O- CDF-A	Carrel work station, double faced, adder 61" deep x 72 1/2" wide x 48" high, 1 1/4" thick	7915.00
	end panels with 1 3/4" thick solid oak fluted posts at front and back of panels, solid oak	
	top accent cap, 1 1/4" thick HPL work surface with 1" deep solid oak fluted edge banding	
	and 2" deep cord drop	
SUFFIX-M	For maple carrels change suffix O to M and add 7 percent.	





HEXAGONAL CARREL STATIONS

K-9898-O- HEX	Hexagonal OPAC station with 6 work spaces 98" x 98" with central core for	17072.00
	wiring access, 1 1/4" thick HPL work surfaces with 1" deep solid oak fluted edge	
	banding and 2" cord drop, 1 1/8" thick divider panels with 1" solid oak fluted edge	
	banding with solid oak top accent cap	
K-9849-O- 1/2HEX	Half hexagonal OPAC station with 3 work spaces 98" x 49" with open central core	11029.00
	for wiring access, 1 1/4" thick HPL work surfaces with 1" deep solid oak fluted edge	
	banding and 2" cord drop, 1 1/8" thick divider panels with 1" solid oak fluted edge	
	banding with solid oak top accent cap	



DISPLAY UNITS

MODEL NUMBER	DESCRIPTION	LIST PRICE
K-AS-3045- O	Atlas stand with 2 3/8" edge banding on end panels with fluted edges	5303.00
K-DS-2445- O	Dictionary stand with 2 3/8" edge banding on end panels with fluted edges	4289.00
K-TI-72- DFT-O	Index table double faced, double tier 49" deep x 72" wide x 50" high with	7250.00
	2 1/2" square fluted legs, 2" aprons and stretchers double tier index rack	
	with removable shelves	
K-TI-90- DFT-O	Index table double faced, double tier 49" deep x 90" wide x 50" high, HPL top	9761.00
	1 1/4" thick with 1 1/2" wide fluted edge banding on all sides, 2 1/2" solid oak	
	fluted legs, apron and stretcher 2" high X 1" thick	
K-6331- DSP-O	Display table 63 1/2" wide x 31" deep x 38 11/16" high, HPL top 1 1/4" thick with	9474.00
	1 1/2" wide fluted edge banding on all sides, 2 1/2" solid oak fluted legs,	
	apron and stretcher glass case to be 59" wide x 29" deep x 9 11/16" high	
K-W-7236- S	S/F Shelving Starter unit 72" H x 36" W x 13" D with fluted uprights, traditional trimmed	6340.00
	top cap and base cap with 4 adjustable solid oak shelves	
K-W-7236- A	S/F Shelving Adder unit 72" H x 36" W x 13" D with fluted uprights, traditional trimmed	5518.00
	top cap and base cap with 4 adjustable solid oak shelves	
K-W-9036- S	S/F Shelving Starter unit 90" H x 36" W x 13" D with fluted uprights, traditional trimmed	7757.00
	top cap and base cap with 6 adjustable solid oak shelves	
K-W-9036- A	S/F Shelving Adder unit 90" H x 36" W x 13" D with fluted uprights, traditional trimmed	6586.00
	top cap and base cap with 6 adjustable solid oak shelves	
K-W-Glass	Solid wood framed hinged glass door for Kingston shelving	2349.00
SUFFIX-M	For maple display products change suffix O to M and add 7 percent	



MODEL NUMBER	DESCRIPTION	LIST PRICE
K-4412-DF-O	End panel 44" high x 12" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1817.00
	with solid oak top accent cap	
K-4413-DF-O	End panel 44" high x 13" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1849.00
	with solid oak top accent cap	
K-4414-DF-O	End panel 44" high x 14" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1888.00
	with solid oak top accent cap	
K-4416-DF-O	End panel 44" high x 16" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1929.00
	with solid oak top accent cap	
K-4418-DF-O	End panel 44" high x 18" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2353.00
	with solid oak top accent cap	
K-4420-DF-O	End panel 44" high x 20" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2600.00
	with solid oak top accent cap	
K-4422-DF-O	End panel 44" high x 22" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2655.00
	with solid oak top accent cap	
K-4424-DF-O	End panel 44" high x 24" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2715.00
	with solid oak top accent cap	
K-4425-DF-O	End panel 44" high x 25" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2771.00
	with solid oak top accent cap	
K-4428-DF-O	End panel 44" high x 28" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2843.00
	with solid oak top accent cap	
K-4432-DF-O	End panel 44" high x 32" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2942.00
	with solid oak top accent cap	
K-4812-DF-O	End panel 48" high x 12" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1848.00
	with solid oak top accent cap	





MODEL NUMBER	DESCRIPTION	LIST PRICE
K-4813-DF-O	End panel 48" high x 13" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1877.00
	with solid oak top accent cap	
K-4814-DF-O	End panel 48" high x 14" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1916.00
	with solid oak top accent cap	
K-4816-DF-O	End panel 48" high x 16" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	1958.00
	with solid oak top accent cap	
K-4818-DF-O	End panel 48" high x 18" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2576.00
	with solid oak top accent cap	
K-4820-DF-O	End panel 48" high x 20" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2629.00
	with solid oak top accent cap	
K-4822-DF-O	End panel 48" high x 22" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2684.00
	with solid oak top accent cap	
K-4824-DF-O	End panel 48" high x 24" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2744.00
	with solid oak top accent cap	
K-4825-DF-O	End panel 48" high x 25" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2802.00
	with solid oak top accent cap	
K-4828-DF-O	End panel 48" high x 28" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2872.00
	with solid oak top accent cap	
K-4832-DF-O	End panel 48" high x 32" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2971.00
	with solid oak top accent cap	
K-6612-DF-O	End panel 66" high x 12" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2081.00
	with solid oak top accent cap	
K-6613-DF-O	End panel 66" high x 13" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2120.00
	with solid oak top accent cap	



MODEL NUMBER	DESCRIPTION	LIST PRICE
K-6614-DF-O	End panel 66" high x 14" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2162.00
	with solid oak top accent cap	
K-6616-DF-O	End panel 66" high x 16" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2226.00
	with solid oak top accent cap	
K-6618-DF-O	End panel 66" high x 18" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3019.00
	with solid oak top accent cap	
K-6620-DF-O	End panel 66" high x 20" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3093.00
K-0020-DF-0	with solid oak top accent cap	3093.00
K-6622-DF-O	End panel 66" high x 22" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3180.00
	with solid oak top accent cap	
K-6624-DF-O	End panel 66" high x 24" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3250.00
	with solid oak top accent cap	
K-6625-DF-O	End panel 66" high x 25" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3276.00
	with solid oak top accent cap	
K-6628-DF-O	End panel 66" high x 28" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides with solid oak top accent cap	3311.00
K-6632-DF-O	End panel 66" high x 32" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3532.00
	with solid oak top accent cap	
K-7812-DF-O	End panel 78" high x 12" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2262.00
	with solid oak top accent cap	
K-7813-DF-O	End panel 78" high x 13" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2296.00
	with solid oak top accent cap	
K 7044 DE 0		0050.00
K-7814-DF-O	End panel 78" high x 14" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides with solid oak top accent cap	2352.00



K-7816-DF-O		
	End panel 78" high x 16" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2411.00
	with solid oak top accent cap	
K-7818-DF-O	End panel 78" high x 18" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3038.00
	with solid oak top accent cap	
K-7820-DF-O	End panel 78" high x 20" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3338.00
	with solid oak top accent cap	
K-7822-DF-O	End panel 78" high x 22" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3228.00
	with solid oak top accent cap	0220.00
K 7924 DE O	End name 79" birth y 24" doop 1 1/9" thick with 1 1/9" colid ook fluted next on 2 sides	2270.00
K-7824-DF-O	End panel 78" high x 24" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides with solid oak top accent cap	3270.00
K-7825-DF-O	End panel 78" high x 25" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3338.00
	with solid oak top accent cap	
K-7828-DF-O	End panel 78" high x 28" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3447.00
	with solid oak top accent cap	
K-7832-DF-O	End panel 78" high x 32" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3570.00
	with solid oak top accent cap	
K-9012-DF-O	End panel 90" high x 12" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2335.00
	with solid oak top accent cap	
K-9013-DF-O	End panel 90" high x 13" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2382.00
	with solid oak top accent cap	
K-9014-DF-O	End panel 90" high x 14" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2461.00
	with solid oak top accent cap	
K-9016-DF-O	End panel 90" high x 16" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	2530.00



MODEL NUMBER	DESCRIPTION	LIST PRICE
K-9018-DF-O	End panel 90" high x 18" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3494.00
	with solid oak top accent cap	
K-9020-DF-O	End panel 90" high x 20" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3578.00
	with solid oak top accent cap	
K-9022-DF-O	End panel 90" high x 22" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3664.00
	with solid oak top accent cap	
K-9024-DF-O	End panel 90" high x 24" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3756.00
	with solid oak top accent cap	
K-9025-DF-O	End panel 90" high x 25" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3856.00
	with solid oak top accent cap	
K-9028-DF-O	End panel 90" high x 28" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	3986.00
	with solid oak top accent cap	
K-9032-DF-O	End panel 90" high x 32" deep, 1 1/8" thick with 1 1/2" solid oak fluted post on 2 sides	4118.00
	with solid oak top accent cap	
SUFFIX-M	For maple end panels change suffix O to M and add 7 percent	
SUFFIX-C	For cherry end panels change suffix O to C and contact factory	